```
ANSWER 4 OF 4 CAPLUS COPYRIGHT 2004 ACS on STN
    2001:142245 CAPLUS
ΑN
DN
     134:200520
    Multilayer photoresist material and resist pattern formation
TI
IN
    Kanda, Yoshiki
     Tokyo Ohka Kogyo Co., Ltd., Japan
PA
     Jpn. Kokai Tokkyo Koho, 7 pp.
SO
    CODEN: JKXXAF
DT
    Patent
     Japanese
FAN.CNT 1
                      KIND DATE
                                           APPLICATION NO.
                                                            DATE
     PATENT NO.
                      ____
                                                            19990820
                            20010227
                                           JP 1999-234689
    JP 2001056550
                            19990820
PRAI JP 1999-234689
     The resist material comprises a substrate successively having (A) a
     dry-developable org. layer by 0 plasma and (B) a neg. photoresist \vee
     layer contg. an alkali-sol. polymer with wt. av. mol. wt. 10,000-50,000, a
     compd. generating acid by irradn., and a crosslinking agent having
     .gtoreq.1 of hydroxyalkyl or lower alkoxyalkyl group. The resist pattern
   is formed by the steps of (1) selectively exposing and heat treating the
    neg. photoresist layer, (2) silylation treatment and applying O
    plasma resistance to the unexposed area, and (3) dry developing the
     exposed area of the neg. photoresist and the org. layer by O
    plasma using the unexposed area as a mask. Fine resist pattern without
     edge roughness is obtained.
IT
     2669-72-9, MX 280
     RL: TEM (Technical or engineered material use); USES (Uses)
        (MX 280; multilayer photoresist material comprising org.
        layer and neq. resist layer)
     2669-72-9 CAPLUS
RN
     2-Imidazolidinone, 1,3-bis(methoxymethyl)- (6CI, 7CI, 8CI, 9CI)
CN
```

$$CH_2-OMe$$
 N
 CH_2-OMe

= >

NAME)

04/638,872

```
L14 ANSWER 4 OF 18 CAPLUS COPYRIGHT 2004 ACS on STN
```

AN 2002:392164 CAPLUS

DN 136:409024

TI Negative-working photoresist composition for using in combination with organic antireflective coating

IN Tachikawa, Toshikazu; Kaneko, Fumitake; Kubota, Naotaka; Miyairi, Miwa; Hirosaki, Takako; Endo, Koutaro

PA Japan

SO U.S. Pat. Appl. Publ., 10 pp., Cont.-in-part of U.S. Ser. No. 638,872. CODEN: USXXCO

DT Patent

LA English

FAN.CNT 2

		PATENT NO.	KIND	DATE	APPLICATION NO.	DATE	
	ΡI	US 2002061467	A1	20020523	US 2002-53622	20020124	
		JP 2001056555	A2	20010227	JP 1999-234688	19990820	
		US 6406829	B1	20020618		20000815	parent of CIP
	PRAI	JP 1999-234688	A	19990820		2000013	purent of c-
		US 2000-638872	A2	20000815			

OS MARPAT 136:409024

Disclosed is a novel neg.-working chem.-amplification photoresist AΒ compn. comprising (A) an alkali-sol. resin, (B) an acid-generating agent and (C) a crosslinking agent, of which the component (B) is an onium salt compd. selected from the group consisting of iodonium salt compds. and sulfonium salt compds., having a specific fluoroalkyl sulfonate ion as the anionic moiety and the component (C) is a specific ethyleneurea compd. of the formula I (R1, R2 = hydroxyl, C1-4-alkoxy, R3, R4 = H, hydroxyl, C1-4-alkoxy). The photoresist compn. is particularly suitable for the formation of a photoresist layer on a substrate surface provided with an undercoating of a water-insol. org. anti-reflection film exhibiting excellent pattern resoln. and orthogonal cross sectional profile of the patterned resist layer with a good temp. latitude in the post-exposure baking treatment for latent image formation. IT 2669-72-9, MX 280

RL: TEM (Technical or engineered material use); USES (Uses) (neg.-working chem.-amplification photoresist compn. for

using in combination with org. antireflective coating)

RN 2669-72-9 CAPLUS

CN 2-Imidazolidinone, 1,3-bis(methoxymethyl) - (6CI, 7CI, 8CI, 9CI) (CA INDEX NAME)